



扫一扫，了解更多产品
Scan for more
product information

广东省电声工程技术研究开发中心
广东得胜电子有限公司制造

地址：广东省惠州市博罗县龙溪街道富康一路2号

Designed & Manufactured by:

Guangdong Takstar Electronic Co., Ltd.

Address: No.2 Fu Kang Yi Rd., Longxi Boluo

Huizhou, Guangdong 516121 China

TAKSTAR® 得胜



专业动圈麦克风

PROFESSIONAL DYNAMIC MICROPHONE

TA-68

前言

尊敬的用户：

感谢您选购得胜TA-68专业动圈麦克风，为了您能够更好的了解使用本产品，建议您在使用前仔细阅读本说明书。

若存在有疑问或者您有宝贵的建议，可通过拨打得胜官方服务热线400 6828 333或微信扫描二维码关注得胜官方公众号与我们联系。



产品特性

- ◆ 一款专业手持动圈麦克风，适用于现场演出、主持配音、直播录音等；
- ◆ 采用专业级动圈音头，较高的解析度及瞬态响应，再现清晰饱满的声音细节；
- ◆ 心型指向拾音设计，有效抑制噪音和反馈，降低背景噪音；
- ◆ 悬架减震系统，可较大程度地降低手持噪音和振动声的传递；
- ◆ 全金属结构，坚固耐用，质感加倍，提升触感和握感；
- ◆ 配置高档手提航空箱，方便用户携带和存放。


适用范围

- ◆ 现场演出、主持配音、直播录音等

标准配置

- | | | |
|----------|------------|-----------|
| ◆ 麦克风 一支 | ◆ 麦克风夹子 一个 | ◆ 麦克风线 一条 |
| ◆ 防风棉 一个 | ◆ 皮袋 一个 | ◆ 说明书 一份 |

技术参数



音头：动圈式


指向性：心型指向

频率响应：50Hz-16KHz

灵敏度：-55dB±3dB (0dB=1V/Pa at 1kHz)

输出阻抗：450Ω±30% (at 1kHz)


单体重量：约430g



注：以上数据由得胜实验室测试得到，并拥有最终解释权！


功能示意

XLR接口：通过XLR音频线与声卡、调音台等音频设备连接。




使用说明

1. 麦克风与线材连接时，将线材的卡依头对准麦克风尾部的三针插入，直至扣键定位。
2. 将麦克风线材的另一端与调音台、功放、声卡等音频设备连接即可使用。




3. 麦克风可手持，也可以安装到支架上使用。安装支架使用时，先将配套的麦克风夹子安装到带有3/8”或5/8”标准螺纹接口的麦克风支架上，再将麦克风安装到夹子上，如图所示：



4. 建议使用时，应先将音频设备（声卡、调音台等）音量调小，再将音量从小到大慢慢调节至合适，以免声压过大对扬声器造成冲击；尽可能地拉开麦克风与扬声器的距离，避免麦克风和扬声器相对，以免影响麦克风音质及有效控制回馈啸叫。

5. 使用时，请对准麦克风网头顶部方向，人与麦克风建议保持5-10厘米的拾音距离。



6. 麦克风与连接线分离时，可握住插头并按压卡依扣键，将线材拔出即可。

安全警示

为避免电击、高温、着火、辐射、爆炸、机械危险以及使用不当等可能造成的人身伤害或财产损失，使用本产品前，请仔细阅读并遵守以下事项：

1. 使用产品时请确认所连设备与本产品是否匹配以及合理调整音量大小，不要在超过产品功率及大音量下长时间使用，以免造成产品异常；
2. 使用中若发现有异常（如冒烟、异味等），请立即关闭电源开关并拔掉电源插头，然后将产品送售后服务网点检修；
3. 本产品及配件都应放置在室内干燥通风处，请勿长期存放在潮湿、灰尘多的环境，使用中避免靠近火源、雨淋、进水、过度碰撞、抛掷、振动本机及覆盖通风孔，以免损坏其功能；
4. 若产品需要固定于墙壁或天花板上时，请确保固定到位，防止因固定强度不足导致产品发生跌落危险；
5. 使用该产品时需遵守相关安全规定，法律法规明确禁止使用场合请勿使用本产品，以免导致意外事故；
6. 请不要自行拆机改装或维修，以防止出现人身伤害，如有问题或服务需求请联系当地售后服务网点跟进处理。

关于图标含义解释

 根据RL2004/108/EG和European Low Voltage Directive（欧洲低电压指令）RL2006/95/EG的测试结果表明，本产品符合欧共体关于电磁兼容性的成员国法律整合的指令中所规定的限值。

 未经合规方明确批准的变更或修改可能会使用户失去操作设备的权限。此设备符合FCC规则第15条部分的要求。操作须符合以下两个条件：（1）此设备可能不会造成有害干扰；（2）此设备必须接受接收到的任何干扰，包括可能导致意外操作的干扰。

 此符号表示，根据WEEE指令(2012/19/EU)和国家法律，由于这种类型的废弃物会有潜在的有害物质，可能对环境 and 人类健康产生负面影响，所以本产品不应与您的家庭垃圾一起处置，应将本产品交由授权的电气和电子设备（WEEE）回收站回收。同时，您在正确处理本产品的同时将有助于自然资源的有效利用。如需了解更多有关您可以在何处放置废物回收设备的信息，请联系您当地的城市办事处、废物管理局或家庭废物处理服务部门。

关于本说明书

本说明书中内容符合截止印刷之日的技术规格。由于得胜公司会不断改进产品，本说明书可能不符合您的特定产品的技术规格。要获取最新版说明书，请访问得胜官网，然后下载说明书文件。技术规格、设备或另售的附件在各个地区可能有所不同，如有问题请与当地得胜销售网点确认。如需更多支持和深层产品信息，请浏览得胜官方网站：<https://www.takstar.com>

环保说明

产品中有毒有害物质或元素的名称及含量标识表

部件名称	有毒有害物质或元素					
	铅 (Pb)	汞 (Hg)	镉 (Cd)	六价铬 (Cr(VI))	多溴联苯 (PBB)	多溴二苯醚 (PBDE)
塑料部件	○	○	○	○	○	○
金属部件	×	○	○	○	○	○
电路板组件	×	○	○	○	○	○
线缆	×	○	○	○	○	○
本表格依据SJ/T 11364的规定编制。 ○: 表示该有害物质在该部件所有均质材料中的含量均在 GB/T 26572规定的限量要求以下。 ×: 表示该有害物质至少在该部件的某一均质材料中的含量超出 GB/T 26572规定的限量要求。						
此标志为产品的环保使用期限标志， 且此标保使用期限只适用于产品正常工作的温度和湿度等条件。						

Preface

Dear Customer,

Thank you for purchasing Takstar TA-68 Professional Dynamic Microphone. In order to better understand and use the product, please read this manual carefully. If you have any questions or suggestions, please contact our local dealer.

Features

- ◆ Handheld dynamic mic for presentation, dubbing, livestream recording and live performance
- ◆ Pro dynamic capsule with excellent clarity and transient response
- ◆ Cardioid pickup pattern greatly reduces surrounding noise and feedback
- ◆ Suspension damping system to minimize handling noise and vibration
- ◆ Sturdy full-metal structure, upgraded texture and feel
- ◆ Comes with a classy flight case for easy storing and carrying


Applications

- ◆ Presentation, dubbing, livestream recording and live performance

Package Contents

- ◆ Microphone 1 pc
- ◆ Microphone Clamp 1 pc
- ◆ XLR Cable 1 pc
- ◆ Windscreen 1 pc
- ◆ Pleather Pouch 1 pc
- ◆ User Manual 1 pc

Specifications



Capsule: dynamic


Polar Pattern: cardioid

Frequency Response: 50Hz-16KHz

Sensitivity: $-55\text{dB} \pm 3\text{dB}$ ($0\text{dB}=1\text{V}/\text{ubar}$ at 1kHz)

Output Impedance: $450\Omega \pm 30\%$ (at 1KHz)


Net Weight: approx. 430g



Note: The above data are measured by Takstar laboratory, and Takstar has the final interpretation right!


Function Descriptions

XLR Port: used to connect to audio device such as audio interface and mixer via XLR cable.




Operation Instructions


1. To connect the mic with XLR cable, align the XLR connector with the 3-pin connector on mic, then insert fully until the XLR lock button locks in place.
2. Connect the other end of the XLR cable with audio device, e.g., mixer, power amplifier, audio interface.



3. Hold the mic by hand, or install it on a stand. For stand installation, first fix the mic clamp onto the 3/8" or 5/8" standard-threaded connector on the stand, then secure the mic onto the clamp as shown below:



4. Please turn the volume to the minimum on the audio device (e.g., audio interface, mixer) before switching on the phantom power. Then gradually increase the volume to an appropriate level. This helps to prevent the speakers from being damaged by high sound pressure. Keep a proper distance between the mic and the speakers to avoid feedback howling and ensure audio quality.
5. Please speak towards the top of the mic grille while recording, recommended at 5-10cm speak distance.



6. To disconnect the mic from XLR cable, press down the XLR lock button and unplug the cable.

Safety Instructions

To avoid electric shock, overheating, fire, radiation, explosion, mechanical risk and injury or property loss due to improper use, please read and observe the following items before use:

1. Please check if the power of the connected equipment matches with that of this product before operation. Adjust the volume to proper level during operation. Do not operate at over-power or high-volume level for extended time to avoid product malfunction.
2. If there is any abnormality during use (e.g., smoke, strange odor), please kill the power switch and unplug from power source, then send the product to the local after-sales service outlet for repair.
3. Keep this product and its accessories in a dry and ventilated area. Do not store in a humid or dusty area for extended time. Keep away from fire, rain, liquid intrusion, bumping, throwing, vibrating, or from blocking any ventilation openings, to prevent malfunction.
4. The product must, when installed on walls or ceilings, be fixed firmly in place at adequate strength to prevent from falling.
5. Please abide by safety rules during operation. Do not use the product in places prohibited by laws or regulations to avoid accident.
6. Do not disassemble or repair the product by yourself to avoid injury. If you have any questions or require any services, please contact our local after-sales service outlet.

Label Meanings

CE This device is compliant with the limits of the European Council Directive on the approximation of the laws of the member states relating to electromagnetic compatibility according to RL2004/108/EG and European Low Voltage Directive RL2006/95/EG.

FCC Note: This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to part 15 of the FCC Rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation. This equipment generates, uses, and can radiate radio frequency energy and, if not installed and used in accordance with the instructions, may cause harmful interference to radio communications. However, there is no guarantee that interference will not occur in a particular installation. If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one or more of the following measures:

- Reorient or relocate the receiving antenna.
- Increase the separation between the equipment and receiver.
- Connect the equipment to an outlet on a circuit different from that to which the receiver is connected.
- Consult the dealer or an experienced radio/TV technician for help.

Changes or modifications not expressly approved by the complying party may cause the user to lose permission to operate the device.

This device complies with part 15 of the FCC Rules. Operation is subject to the following two conditions:

- 1) This device may not cause harmful interference, and
- 2) This device must accept any interference received, including interference that may cause undesired operation.



This symbol indicates that this product should not be disposed of with your household waste, according to the WEEE directive (2012/19/EU) and your national law. This product should be handed over to an authorized collection site for recycling waste electrical and electronic equipment (WEEE). Improper handling of this type of waste could have a possible negative impact on the environment and human health due to potentially hazardous substances that are generally associated with WEEE. At the same time, your cooperation in the correct disposal of this product will contribute to the effective usage of natural resources. For more information about where you can drop off your waste equipment for recycling, please contact your local city office, waste authority, or your household waste disposal service.

About This Manual

This manual contains up-to-date technical specifications as of printing. However, specifications contained herein may not conform to your particular product since Takstar is constantly improving its products. Also, specifications, devices or accessories available may vary from region to region. If you have any questions, please contact our local sales outlet. For the latest version/more information, please visit our website: <https://www.takstar.com/>



产品服务保证书

姓名: _____ 电话: _____ 地址: _____

商品: _____ 型号: _____ 购买日期: _____ 年 ____ 月 ____ 日

维修记录栏(由维修员填写)	维修员签名	日期

注意事项:

1. 本单为保修凭证, 请用户妥善保管, 如有遗失, 恕不保修或退换。
2. 保修期限制: 购买之日起十二个月内。
3. 除了不可抗力事件损坏外, 由本公司负责, 免费维修。
4. 如属保管不善或使用不当造成的损坏, 维修点将酌情收费。
5. 擅自拆卸维修者, 不予保修。
6. 以上保修条款仅限于中国市场适用 (不包含港澳台地区)。

◆ 广东得胜电子有限公司 ◆ 电话: 400-6828-333 ◆ 地址: 广东省惠州市博罗县龙溪镇富康一路2号

